

# Ezee Spot & Stain

## Material Safety Datasheet

Page 1 of 10

AS PER REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

|  |   |
|--|---|
| Section 1 - Identification of the substance/mixture and of the company/undertaking |   |
| 1.1 Product identifier   |   |
| Product name   | Ezee Spot & Stain   |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against  |   |
| Description  | Carpet cleaner  |
| 1.3 Details of the supplier of the safety data sheet                               |   |
| Company  | Granwax Products Limited                                      |
| Address  | West Street<br>Riddings<br>Alfreton<br>Derbyshire<br>DE55 4EW |
| Web  | www.granwax.com   |
| Email  | info@granwax.com  |
| Email address of the competent person  | info@granwax.com  |
| 1.4 Emergency telephone number   |   |
| Emergency telephone number   | + 44 (0)1773 541177 - 9.00 am - 5.00 pm Monday to Friday      |
| Section 2 - Hazards identification   |   |
| 2.1 Classification of the substance or mixture                                     |   |
| Main hazards   | No Significant Hazard   |
| 2.2 Label elements   |   |
| Risk phrases   | No Significant Hazard   |
| Other hazards  | No data is available on this product.                         |

# Ezee Spot & Stain

## Material Safety Datasheet

Page 2 of 10

### Section 3 - Composition/information on ingredients

#### 3.2. Mixtures

67/548/EEC / 1999/45/EC

| Chemical Name                                  | Index No.    | CAS No.    | EC No.    | REACH<br>Registration<br>Number | Conc.<br>(%w/w) | Classification            | M-factor. |
|--|--------------|------------|-----------|---------------------------------|-----------------|---------------------------|-----------|
| C13-15 Alcohol ethoxylate 7eo                  |              | 68131-39-5 |           |                                 | 0 - 0.5%        | Xn; R22 Xi; R41 N;<br>R50 |           |
| 1-Methoxy-2-propanol<br>(1-Methoxypropan-2-ol) | 603-064-00-3 | 107-98-2   | 203-539-1 |                                 | 1 - 10%         | R10 R67                   |           |

EC 1272/2008

| Chemical Name                                  | Index No.    | CAS No.    | EC No.    | REACH<br>Registration<br>Number | Conc.<br>(%w/w) | Classification  | M-factor. |
|--|--------------|------------|-----------|---------------------------------|-----------------|---|-----------|
| C13-15 Alcohol ethoxylate 7eo                  |              | 68131-39-5 |           |                                 | 0 - 0.5%        | Acute Tox. 4: H302;<br>Eye Dam. 1: H318;<br>Aquatic Acute<br>1: H400; |           |
| 1-Methoxy-2-propanol<br>(1-Methoxypropan-2-ol) | 603-064-00-3 | 107-98-2   | 203-539-1 |                                 | 1 - 10%         | Flam. Liq. 3: H226;<br>STOT SE 3: H336;                               |           |

# Ezee Spot & Stain

## Material Safety Datasheet

Page 3 of 10

### Section 4 - First aid measures

#### 4.1 Description of first aid measures

|              |   |
|--------------|---|
| Inhalation   | Move the exposed person to fresh air.   |
| Eye contact  | Rinse immediately with plenty of water for 15 minutes holding the eyelids open.   |
| Skin contact | Wash off immediately with plenty of soap and water. Remove contaminated clothing. |
| Ingestion    | DO NOT INDUCE VOMITING.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

|              |   |
|--------------|---|
| Inhalation   | Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. |
| Eye contact  | May cause irritation to eyes.   |
| Skin contact | May cause irritation to skin.   |
| Ingestion    | Ingestion may cause nausea and vomiting.  |

#### 4.3 Indication of any immediate medical attention and special treatment needed

|              |  |
|--------------|--|
| Inhalation   | If you feel unwell, seek medical advice (show the label where possible). |
| Eye contact  | Seek medical attention.  |
| Skin contact | Seek medical attention if irritation or symptoms persist.                |
| Ingestion    | If you feel unwell, seek medical advice (show label where possible).     |

### Section 5 - Firefighting measures

#### 5.1 Extinguishing media

|  |   |
|--|---|
|  | Use extinguishing media appropriate to the surrounding fire conditions. |
|--|---|

#### 5.2 Special hazards arising from the substance or mixture

|  |   |
|--|---|
|  | Burning produces irritating, toxic and noxious fumes. |
|--|---|

#### 5.3. Advice for firefighters

|  |  |
|--|--|
|  | Wear self contained breathing apparatus and protective clothing. |
|--|--|

### Section 6 - Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

|  |  |
|--|--|
|  | Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. |
|--|--|

#### 6.2 Environmental precautions

|  |   |
|--|---|
|  | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|---|

# Ezee Spot & Stain

## Material Safety Datasheet

Page 4 of 10

### 6.3 Methods and material for containment and cleaning up

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### 6.4 Reference to other sections

See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information.  
See section 13. DISPOSAL CONSIDERATIONS for further information.

## Section 7 - Handling and storage

### 7.1 Precautions for safe handling

Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.

### 7.3 Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

# Ezee Spot & Stain

## Material Safety Datasheet

Page 5 of 10

### Section 8 - Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure controls.

#### 8.1.1 Exposure Limit Values

|  |                                  |     |                                      |     |
|--|----------------------------------|-----|--------------------------------------|-----|
| 1-Methoxy-2-propanol<br>(1-Methoxypropan-2-ol) | WEL 8-hr limit ppm:              | 100 | WEL 8-hr limit mg/m <sup>3</sup> :   | 375 |
|  | WEL 15 min limit ppm:            | 150 | WEL 15 min limit mg/m <sup>3</sup> : | 560 |
|  | WEL 8-hr limit mg/m <sup>3</sup> |     | WEL 15 min limit mg/m <sup>3</sup>   |     |
|  | total inhalable dust:            | -   | total inhalable dust:                | -   |
|  | WEL 8-hr limit mg/m <sup>3</sup> |     | WEL 15 min limit mg/m <sup>3</sup>   |     |
|  | total respirable dust:           | -   | total respirable dust:               | -   |

#### 8.2 Exposure Controls

8.2.1 Appropriate engineering controls Ensure adequate ventilation of the working area.

8.2.2 Individual protection measures Wear protective clothing.

Eye / face protection Approved safety goggles.

Skin protection - Handprotection Wear suitable gloves.

Skin protection - Other Wear suitable protective clothing.

Respiratory protection Wear suitable respiratory equipment when necessary.

Occupational exposure controls Keep away from food, drink and animal feedstuffs.

# Ezee Spot & Stain

## Material Safety Datasheet

Page 6 of 10

### Section 9 - Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties (continued)

|                           |                                       |
|---------------------------|---------------------------------------|
| Appearance                | Liquid                                |
| Colour                    | Clear                                 |
| Odour                     | Characteristic                        |
| Odour threshold           | No data available                     |
| pH                        | 8.5                                   |
| Melting point             | No data available                     |
| Freezing point            | No data available                     |
| Initial boiling point     | No data available                     |
| Flash point               | 80°C                                  |
| Evaporation rate          | No data available                     |
| Flammability (solid, gas) | Not applicable                        |
| Vapour pressure           | No data available                     |
| Vapour density            | No data available                     |
| Relative density          | ≈ 1.045 (H <sub>2</sub> O = 1 @ 20°C) |
| Fat Solubility            | No data available                     |
| Partition coefficient     | No data available                     |
| Autoignition temperature  | No data available                     |
| Viscosity                 | No data available                     |
| Explosive properties      | No data available                     |
| Oxidising properties      | No data available                     |
| Solubility                | Soluble in water                      |

#### 9.2 Other information

|                                  |                      |
|----------------------------------|----------------------|
| Conductivity                     | No data is available |
| Surface tension                  | No data is available |
| Gas group                        | No data is available |
| Benzene Content                  | No data is available |
| Lead content                     | No data is available |
| VOC (Volatile organic compounds) | No data available    |

# Ezee Spot & Stain

## Material Safety Datasheet

Page 7 of 10

### Section 10 - Stability and reactivity

#### 10.1 Reactivity

Stable under normal conditions.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No data is available on this product.

#### 10.4 Conditions to avoid

No data is available on this product.

#### 10.5 Incompatible materials

No data is available on this product.

#### 10.6 Hazardous decomposition products

No data is available on this product.

### Section 11 - Toxicological information

#### 11.1 Information on toxicological effects

Skin corrosion/irritation May cause irritation to skin.

Serious eye damage/irritation May cause irritation to eyes.

#### 11.1.4 Toxicological Information

No data available

### Section 12 - Ecological information

#### 12.1 Toxicity

No data is available on this product.

#### 12.2 Persistence and degradability

No data is available on this product.

#### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF) No data is available on this product.

#### 12.4 Mobility in soil

No data is available on this product.

#### 12.5 Results of PBT and vPvB assessment

No data is available on this product.

#### 12.6 Other adverse effects

No data is available on this product.

# Ezee Spot & Stain

## Material Safety Datasheet

Page 8 of 10

### Section 13 - Disposal considerations

#### 13.1 Waste treatment methods

|  |   |
|--|---|
|  | Dispose of in compliance with all local and national regulations. |
|--|---|

### Section 14 - Transport information

#### 14.1 UN number

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

#### 14.2 UN proper shipping name

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

#### 14.3. Transport hazard class(es)

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

#### 14.4 Packing group

|               |  |
|---------------|--|
| Packing group | The product is not classified as dangerous for carriage. |
|---------------|--|

#### 14.5 Environmental hazards

|                       |  |
|-----------------------|--|
| Environmental hazards | The product is not classified as dangerous for carriage. |
|-----------------------|--|

#### 14.6 Special precautions for user

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|



# Ezee Spot & Stain

## Material Safety Datasheet

Page 9 of 10

### Section 15 - Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2 Chemical safety assessment

No data is available on this product.

# Ezee Spot & Stain

## Material Safety Datasheet

Page 10 of 10

### Section 16 - Other information

#### Other information

|  |  |
|--|--|
| Revision                               | This document differs from the previous version in the following areas:<br>None  |
| Text of risk phrases in Section 3      | R10 - Flammable<br>R22 - Harmful if swallowed.<br>R41 - Risk of serious damage to eyes.<br>R50 - Very toxic to aquatic organisms.<br>R67 - Vapours may cause drowsiness and dizziness.   |
| Text of Hazard Statements in Section 3 | Acute Tox. 4: H302 - Harmful if swallowed.<br>Eye Dam. 1: H318 - Causes serious eye damage.<br>Aquatic Acute 1: H400 - Very toxic to aquatic life.<br>Flam. Liq. 3: H226 - Flammable liquid and vapour.<br>STOT SE 3: H336 - May cause drowsiness or dizziness.  |
| Further information                    | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |

Copyright 2020 Granwax Products Limited

Ezee Spot & Stain - MSDS

Issue date: 11 September 2020

West Street,  
Riddings,  
Alfreton,  
Derbyshire DE55 4EW



Tele: 01773 541177  
Email: [info@granwax.com](mailto:info@granwax.com)  
Web: [www.granwax.com](http://www.granwax.com)

Datasheet issued 13/08/20  
Supersedes previous issues